





# CREWSON BRAKE ADJUSTER APPLICATIONS

## WITH AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)
---------------------------------------	-------------	---------------	-------------	---------------

CHAMBER TYPE: T-16, 20, 24 STD.

MK31100S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK31106S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK31200S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK31206S	1-1/2" x 10 Spline	6.0"	1/2" — 20 Std	7.6
MK31300S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK31306S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Offset	7.6
MK31400S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Offset	7.6
MK31406S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Offset	7.6
MK31700S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Ext	7.6
MK31706S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Ext	7.6

MK32100S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std	7.6
MK32106S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std	7.6
MK32200S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Std	7.6
MK32206S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Std	7.6
MK32300S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Offset	7.6
MK32306S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Offset	7.6
MK32400S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Offset	7.6
MK32700S	1-1/2" x 28 Spline	5.5"	5/8" — 20 Ext	7.6

MK34100S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK34101S	1-1/4" x 10 Spline	6.5"	5/8" — 18 Std	7.6
MK34106S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK34200S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK34206S	1-1/4" x 10 Spline	6.0"	1/2" — 18 Std	7.6
MK34300S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK34306S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Offset	7.6
MK34400S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Offset	7.6
MK34406S	1-1/4" x 10 Spline	6.0"	1/2" — 20 Offset	7.6

MK35100S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Std	7.6
MK35200S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Std	7.6
MK35300S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Offset	7.6
MK34406S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Offset	7.6

MODEL SHOWN:  
MK32100S



## WELDED CLEVIS BRAKE ADJUSTERS

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)
---------------------------------------	-------------	---------------	-------------	---------------

CHAMBER TYPE: T30S, 16LS, 20LS, 24LS, T30LS, T24LLS

MK41010S	1-1/4" x 10 Spline	5.5"	1.3" Pin Spacing	7.6
MK41011S	1-1/4" x 10 Spline	6.5"	1.3" Pin Spacing	7.6
MK41016S	1-1/4" x 10 Spline	6.0"	1.3" Pin Spacing	7.6
MK42010S	1-1/2" x 28 Spline	5.5"	1.3" Pin Spacing	7.6
MK42011S	1-1/2" x 28 Spline	6.5"	1.3" Pin Spacing	7.6
MK42016S	1-1/2" x 28 Spline	6.0"	1.3" Pin Spacing	7.6
MK44010S	1-1/4" x 10 Spline	5.5"	1.3" Pin Spacing	7.6
MK45010S	1-1/4" x 24 Spline	5.5"	1.3" Pin Spacing	7.6

MODEL SHOWN:  
MK42010S





# CREWSON BRAKE ADJUSTER APPLICATIONS

## WITH AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)
<b>CHAMBER TYPE: T30S, 16LS, 20LS, 24LS, T30LS, T24LLS</b>				
MK41100S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK41101S	1-1/2" x 10 Spline	6.5"	5/8" — 18 Std	7.6
MK41106S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK41200S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK41300S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK41306S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Offset	7.6
MK41400S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Offset	7.6
MK41406S	1-1/2" x 10 Spline	6.0"	1/2" — 20 Offset	7.6
MK41700S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Ext	7.6
MK41706S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Ext	7.6
MK42100S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std	7.6
MK42101S	1-1/2" x 28 Spline	6.5"	5/8" — 18 Std	7.6
MK42106S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std	7.6
MK42200S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Std	7.6
MK42206S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Std	7.6
MK42300S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Offset	7.6
MK42306S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Offset	7.6
MK42400S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Offset	7.6
MK42406S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Offset	7.6
MK42700S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Ext	7.6
MK42706S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Ext	7.6
MK43100S	1-5/8" x 37 Spline	5.5"	5/8" — 18 Std	7.6
MK43106S	1-5/8" x 37 Spline	6.0"	5/8" — 18 Std	7.6
MK44100S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK44101S	1-1/4" x 10 Spline	6.5"	5/8" — 18 Std	7.6
MK44106S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK44200S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK44206S	1-1/4" x 10 Spline	6.0"	1/2" — 20 Std	7.6
MK44300S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK44306S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Offset	7.6
MK44400S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Offset	7.6
MK34406S	1-1/4" x 10 Spline	6.0"	1/2" — 20 Offset	7.6
MK45100S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Std	7.6
MK45106S	1-1/4" x 24 Spline	6.0"	5/8" — 18 Std	7.6
MK45200S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Std	7.6
MK45206S	1-1/4" x 24 Spline	6.0"	1/2" — 20 Std	7.6
MK45300S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Offset	7.6
MK45306S	1-1/4" x 24 Spline	6.0"	5/8" — 18 Offset	7.6
MK45400S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Offset	7.6
MK45406S	1-1/4" x 24 Spline	6.0"	1/2" — 20 Offset	7.6

MODEL SHOWN:  
MK42106S





# CREWSON BRAKE ADJUSTER APPLICATIONS

## WITHOUT AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK21100S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Std		7.2
MK21101S	1-1/2" x 10 Spline	6.5"	5/8" — 18 Std		7.2
MK21102S	1-1/2" x 10 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK21103S	1-1/2" x 10 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK21104S	1-1/2" x 10 Spline	5.0"/6.0"/7.0"	5/8" — 18 Std		8.0
MK21106S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Std		7.2
MK21152S	1-1/2" x 10 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK21153S	1-1/2" x 10 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK21200S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Std		7.2
MK21206S	1-1/2" x 10 Spline	6.0"	1/2" — 20 Std		7.2
MK21300S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Offset		7.2
MK21306S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Offset		7.2
MK21400S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Offset		7.2
MK21406S	1-1/2" x 10 Spline	6.0"	1/2" — 20 Offset		7.2
MK21700S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK21706S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Ext	Extended Clevis	7.2
MK22100S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std		7.2
MK22101S	1-1/2" x 28 Spline	6.5"	5/8" — 18 Std		7.2
MK22102S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std	Double Drilled	7.2
MK22103S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std	Double Drilled	7.2
MK22104S	1-1/2" x 28 Spline	5.0"/6.0"/7.0"	5/8" — 18 Std		8.0
MK22106S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std		7.2
MK22152S	1-1/2" x 28 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK22153S	1-1/2" x 28 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK22102S	1-1/2" x 28 Spline	5.5"/6.5"	1/2" — 20 Std	Double Drilled	7.2
MK22103S	1-1/2" x 28 Spline	5.0"/6.0"	1/2" — 20 Std	Double Drilled	7.2
MK22106S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Std		7.2
MK22300S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Offset		7.2
MK22306S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Offset		7.2
MK22400S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Offset		7.2
MK22406S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Offset		7.2
MK22700S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK22706S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Ext	Extended Clevis	7.2
MK23100S	1-5/8" x 37 Spline	5.5"	5/8" — 18 Std		7.2
MK23102S	1-5/8" x 37 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK23103S	1-5/8" x 37 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK23106S	1-5/8" x 37 Spline	6.0"	5/8" — 18 Std		7.2
MK23152S	1-5/8" x 37 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK23153S	1-5/8" x 37 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2

MODEL SHOWN:  
MK22103S



MODEL SHOWN:  
MK22153S





# CREWSON BRAKE ADJUSTER APPLICATIONS

## WITHOUT AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK24010S	1-1/4" x 10 Spline	5.5"	1.3" Pin Spacing		7.2
MK24100S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Std		7.2
MK24102S	1-1/4" x 10 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK24103S	1-1/4" x 10 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK24104S	1-1/4" x 10 Spline	5.0"/6.0"/7.0"	5/8" — 18 Std	Triple Drilled	8.0
MK24106S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Std		7.2
MK24200S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Std		7.2
MK24206S	1-1/4" x 10 Spline	6.0"	1/2" — 20 Std		7.2
MK24300S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Offset		7.2
MK24306S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Offset		7.2
MK24400S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Offset		7.2
MK24406S	1-1/4" x 10 Spline	6.0"	1/2" — 20 Offset		7.2
MK24700S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK25100S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Std		7.2
MK25102S	1-1/4" x 24 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK25103S	1-1/4" x 24 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK25106S	1-1/4" x 24 Spline	6.0"	5/8" — 18 Std		7.2
MK25200S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Std		7.2
MK25206S	1-1/4" x 24 Spline	6.0"	1/2" — 20 Std		7.2
MK25300S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Offset		7.2
MK25306S	1-1/4" x 24 Spline	6.0"	5/8" — 18 Offset		7.2
MK25400S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Offset		7.2
MK25406S	1-1/4" x 24 Spline	6.0"	1/2" — 20 Offset		7.2

MODEL SHOWN: MK25102S



## WELDED CLEVIS BRAKE ADJUSTERS WITHOUT AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK21010S	1-1/2" x 10 Spline	5.5"	1.3" Pin Spacing		7.2
MK21011S	1-1/2" x 10 Spline	6.5"	1.3" Pin Spacing		7.2
MK21016S	1-1/2" x 10 Spline	6.0"	1.3" Pin Spacing		7.2
MK22010S	1-1/2" x 28 Spline	5.5"	1.3" Pin Spacing		7.2
MK22011S	1-1/2" x 28 Spline	6.5"	1.3" Pin Spacing		7.2
MK22016S	1-1/2" x 28 Spline	6.0"	1.3" Pin Spacing		7.2

MODEL SHOWN: 1.3" MK21010S



*Actual product performance may vary depending upon vehicle configuration, operation, service and other factors. All applications must comply with applicable specifications from Motor Wheel and the respective vehicle manufacturer. Contact Motor Wheel for additional details regarding specifications, applications, capacities, and operation, service and maintenance instructions.*



Contact Motor Wheel at **855.743.3733** for additional information.



**MOTOR WHEEL**  
2660 Sydney St.  
Chattanooga, TN 37408 USA  
855.743.3733

[www.motorwheel-intl.com](http://www.motorwheel-intl.com)

MW010 Rev A 05-22 Motor Wheel is a brand of Hendrickson

© 2022 Motor Wheel, LLC. All Rights Reserved. All trademarks shown are owned by Motor Wheel, LLC, or one of its affiliates, in one or more countries except for Bendix, Meritor, Euclid, Gunita, Haldex, and Midland, which are the property of their respective owners. Information contained in this literature was accurate at the time of publication. Product changes may have been made after the copyright date that are not reflected.

Printed in United States of America