












WITH AUTO-CHECK®

MOTOR WHEEL PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)		
CHAMBER TYPE: T30S, 16LS, 20LS, 24LS, T30LS, T24LLS						
MK41100S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Std	7.6		
MK41101S	1-1/2"× 10 Spline	6.5"	5/8" — 18 Std	7.6		
MK41106S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Std	7.6		
MK41200S	1-1/2"× 10 Spline	5.5"	1/2" — 20 Std	7.6		
MK41300S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Offset	7.6		
MK41306S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Offset	7.6		
MK41406S	1-1/2"× 10 Spline	6.0"	1/2" — 20 Offset	7.6		
MK41700S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Ext	7.6		
MK41706S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Ext	7.6		
MK42100S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Std	7.6		
MK42101S	1-1/2"× 28 Spline	6.5"	5/8" — 18 Std	7.6		
MK42106S	1-1/2"× 28 Spline	6.0"	5/8" — 18 Std	7.6		
MK42200S	1-1/2"× 28 Spline	5.5"	1/2" — 20 Std	7.6		
MK42206S	1-1/2"× 28 Spline	6.0"	1/2" — 20 Std	7.6		
MK42300S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Offset	7.6		
MK42306S	1-1/2"× 28 Spline	6.0"	5/8" — 18 Offset	7.6		
MK42400S	1-1/2"× 28 Spline	5.5"	1/2" — 20 Offset	7.6		
MK42406S	1-1/2"× 28 Spline	6.0"	1/2" — 20 Offset	7.6		
MK42700S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Ext	7.6		
MK42706S	1-1/2"× 28 Spline	6.0" 5/8" — 18 Ext		7.6		
MK43100S	1-5/8"× 37 Spline	5.5"	5/8" — 18 Std	7.6		
MK43106S	1-5/8"× 37 Spline	6.0"	5/8" — 18 Std	7.6		
MK44100S	1-1/4"× 10 Spline	5.5"	5/8" — 18 Std	7.6		
MK44101S	1-1/4"× 10 Spline	6.5"	5/8" — 18 Std	7.6		
MK44106S	1-1/4"× 10 Spline	6.0"	5/8" — 18 Std	7.6		
MK44200S	1-1/4"× 10 Spline	5.5"	1/2" — 20 Std	7.6		
MK44300S	1-1/4"× 10 Spline	5.5"	5/8" — 18 Offset	7.6		
MK44400S	1-1/4"× 10 Spline	5.5"	1/2" — 20 Offset	7.6		
MK45100S	1-1/4"× 24 Spline	5.5"	5/8" — 18 Std	7.6		
MK45106S	1-1/4"× 24 Spline	6.0"	5/8" — 18 Std	7.6		
MK45200S	1-1/4"× 24 Spline	5.5"	1/2" — 20 Std	7.6		
MK45300S	1-1/4"× 24 Spline	5.5"	5/8" — 18 Offset	7.6		



WELDED CLEVIS BRAKE ADJUSTERS WITH AUTO-CHECK

MOTOR WHEEL PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)		
CHAMBER TYPE: T30S, 16LS, 20LS, 24LS, T30LS, T24LLS						
MK41010S	1-1/4"× 10 Spline	5.5"	1.3" Pin Spacing	7.6		
MK41011S	1-1/4"× 10 Spline	6.5"	1.3" Pin Spacing	7.6		
MK41016S	1-1/4"× 10 Spline	6.0"	1.3" Pin Spacing	7.6		
MK42010S	1-1/2"× 28 Spline	5.5"	1.3" Pin Spacing	7.6		
MK42011S	1-1/2"× 28 Spline	6.5"	1.3" Pin Spacing	7.6		
MK42016S	1-1/2"× 28 Spline	6.0"	1.3" Pin Spacing	7.6		
MK44010S	1-1/4"× 10 Spline	5.5"	1.3" Pin Spacing	7.6		
MK45010S	1-1/4"× 24 Spline	5.5"	1.3" Pin Spacing	7.6		





WITH AUTO-CHECK®

MOTOR WHEEL PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)		
CHAMBER TYPE: T-16, 20, 24 STD.						
MK31100S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Std	7.6		
MK31106S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Std	7.6		
MK31200S	1-1/2"× 10 Spline	5.5"	1/2" — 20 Std	7.6		
MK31300S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Offset	7.6		
MK31306S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Offset	7.6		
MK31400S	1-1/2"× 10 Spline	5.5"	1/2" — 20 Offset	7.6		
MK31700S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Ext	7.6		
MK31706S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Ext	7.6		
MK32100S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Std	7.6		
MK32106S	1-1/2"× 28 Spline	6.0"	5/8" — 18 Std	7.6		
MK32200S	1-1/2"× 28 Spline	5.5"	1/2" — 20 Std	7.6		
MK32206S	1-1/2"× 28 Spline	6.0"	1/2" — 20 Std	7.6		
MK32300S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Offset	7.6		
MK32400S	1-1/2"× 28 Spline	5.5"	1/2" — 20 Offset	7.6		
MK32700S	1-1/2"× 28 Spline	5.5"	5/8" — 20 Ext	7.6		
MK34100S	1-1/4"× 10 Spline	5.5"	5/8" — 18 Std	7.6		
MK34106S	1-1/4"× 10 Spline	6.0"	5/8" — 18 Std	7.6		
MK34200S	1-1/4"× 10 Spline	5.5"	1/2" — 20 Std	7.6		
MK34300S	1-1/4"× 10 Spline	5.5"	5/8" — 18 Offset	7.6		
MK35100S	1-1/4"× 24 Spline	5.5"	5/8" — 18 Std	7.6		
MK35200S	1-1/4"× 24 Spline	5.5"	1/2" — 20 Std	7.6		
MK35300S	1-1/4"× 24 Spline	5.5"	5/8" — 18 Offset	7.6		
MK34406S	1-1/4"× 24 Spline	6.0"	1/2" — 20 Offset	7.6		





WITHOUT AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK21100S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Std		7.2
MK21101S	1-1/2"× 10 Spline	6.5"	5/8" — 18 Std		7.2
MK21102S	1-1/2"× 10 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK21103S	1-1/2"× 10 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK21104S	1-1/2"× 10 Spline	5.0"/6.0"/7.0"	5/8" — 18 Std		8.0
MK21106S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Std		7.2
MK21152S	1-1/2"× 10 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK21153S	1-1/2"× 10 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK21200S	1-1/2"× 10 Spline	5.5"	1/2" — 20 Std		7.2
MK21206S	1-1/2"× 10 Spline	6.0"	1/2" — 20 Std		7.2
MK21300S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Offset		7.2
MK21306S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Offset		7.2
MK21400S	1-1/2"× 10 Spline	5.5"	1/2" — 20 Offset		7.2
MK21700S	1-1/2"× 10 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK21706S	1-1/2"× 10 Spline	6.0"	5/8" — 18 Ext	Extended Clevis	7.2
MK22100S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Std		7.2
MK22101S	1-1/2"× 28 Spline	6.5"	5/8" — 18 Std		7.2
MK22102S	1-1/2"× 28 Spline	5.5/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK22103S	1-1/2"× 28 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK22104S	1-1/2"× 28 Spline	5.0"/6.0"/7.0"	5/8" — 18 Std		8.0
MK22106S	1-1/2"× 28 Spline	6.0"	5/8" — 18 Std		7.2
MK22152S	1-1/2"× 28 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK22153S	1-1/2"× 28 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK22102S	1-1/2"× 28 Spline	5.5"/6.5"	1/2" — 20 Std	Double Drilled	7.2
MK22103S	1-1/2"× 28 Spline	5.0"/6.0"	1/2" — 20 Std	Double Drilled	7.2
MK22106S	1-1/2"× 28 Spline	6.0"	1/2" — 20 Std		7.2
MK22300S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Offset		7.2
MK22306S	1-1/2"× 28 Spline	6.0"	5/8" — 18 Offset		7.2
MK22400S	1-1/2"× 28 Spline	5.5"	1/2" — 20 Offset		7.2
MK22406S	1-1/2"× 28 Spline	6.0"	1/2" — 20 Offset		7.2
MK22700S	1-1/2"× 28 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK22706S	1-1/2"× 28 Spline	6.0"	5/8" — 18 Ext	Extended Clevis	7.2
MK23100S	1-5/8"× 37 Spline	5.5"	5/8" — 18 Std		7.2
MK23102S	1-5/8"× 37 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK23103S	1-5/8"× 37 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK23106S	1-5/8"× 37 Spline	6.0"	5/8" — 18 Std		7.2
MK23152S	1-5/8"× 37 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK23153S	1-5/8"× 37 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2









WITHOUT AUTO-CHECK®

211111111111111111111111111111111111111						
MOTOR WHEEL PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)	
MK24010S	1-1/4"× 10 Spline	5.5"	1.3" Pin Spacing		7.2	
MK24100S	1-1/4"× 10 Spline	5.5"	5/8" — 18 Std		7.2	
MK24102S	1-1/4"× 10 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2	
MK24103S	1-1/4"× 10 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2	
MK24106S	1-1/4"× 10 Spline	6.0"	5/8" — 18 Std		7.2	
MK24200S	1-1/4"× 10 Spline	5.5"	1/2" — 20 Std		7.2	
MK24206S	1-1/4"× 10 Spline	6.0"	1/2" — 20 Std		7.2	
MK24300S	1-1/4"× 10 Spline	5.5"	5/8" — 18 Offset		7.2	
MK24406S	1-1/4"× 10 Spline	6.0"	1/2" — 20 Offset		7.2	
MK24700S	1-1/4"× 10 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2	
MK25100S	1-1/4"× 24 Spline	5.5"	5/8" — 18 Std		7.2	
MK25102S	1-1/4"× 24 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2	
MK25103S	1-1/4"× 24 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2	
MK25106S	1-1/4"× 24 Spline	6.0"	5/8" — 18 Std		7.2	
MK25200S	1-1/4"× 24 Spline	5.5"	1/2" — 20 Std		7.2	
MK25300S	1-1/4"× 24 Spline	5.5"	5/8" — 18 Offset		7.2	
MK25406S	1-1/4"× 24 Spline	6.0"	1/2" — 20 Offset		7.2	



MODEL SHOWN: MK21010S

WELDED CLEVIS BRAKE ADJUSTERS WITHOUT AUTO-CHECK®

MOTOR WHEEL PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK21010S	1-1/2"× 10 Spline	5.5"	1.3" Pin Spacing		7.2
MK21011S	1-1/2"× 10 Spline	6.5"	1.3" Pin Spacing		7.2
MK21016S	1-1/2"× 10 Spline	6.0"	1.3" Pin Spacing		7.2
MK22010S	1-1/2"× 28 Spline	5.5"	1.3" Pin Spacing		7.2
MK22011S	1-1/2"× 28 Spline	6.5"	1.3" Pin Spacing		7.2
MK22016S	1-1/2"× 28 Spline	6.0"	1.3" Pin Spacing		7.2

Actual product performance may vary depending upon vehicle configuration, operation, service and other factors.

All applications must comply with applicable specifications from Motor Wheel and the respective vehicle manufacturer.

Contact Motor Wheel for additional details regarding specifications, applications, capacities, and operation, service and maintenance instructions.



MOTOR WHEEL 2660 Sydney St. Chattanooga, TN 37408 USA 855 743 3733

Contact Motor Wheel at 855.743.3733 for additional information.

www.motorwheel-intl.com