





CREWSON BRAKE ADJUSTER APPLICATIONS

WITH AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)
---------------------------------------	-------------	---------------	-------------	---------------

CHAMBER TYPE: T30S, 16LS, 20LS, 24LS, T30LS, T24LLS

MK41100S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK41101S	1-1/2" x 10 Spline	6.5"	5/8" — 18 Std	7.6
MK41106S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK41200S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK41300S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK41306S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Offset	7.6
MK41406S	1-1/2" x 10 Spline	6.0"	1/2" — 20 Offset	7.6
MK41700S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Ext	7.6
MK41706S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Ext	7.6
MK42100S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std	7.6
MK42101S	1-1/2" x 28 Spline	6.5"	5/8" — 18 Std	7.6
MK42106S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std	7.6
MK42200S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Std	7.6
MK42206S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Std	7.6
MK42300S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Offset	7.6
MK42306S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Offset	7.6
MK42400S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Offset	7.6
MK42406S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Offset	7.6
MK42700S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Ext	7.6
MK42706S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Ext	7.6
MK43100S	1-5/8" x 37 Spline	5.5"	5/8" — 18 Std	7.6
MK43106S	1-5/8" x 37 Spline	6.0"	5/8" — 18 Std	7.6
MK44100S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK44101S	1-1/4" x 10 Spline	6.5"	5/8" — 18 Std	7.6
MK44106S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK44200S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK44300S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK44400S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Offset	7.6
MK45100S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Std	7.6
MK45106S	1-1/4" x 24 Spline	6.0"	5/8" — 18 Std	7.6
MK45200S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Std	7.6
MK45300S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Offset	7.6

MODEL SHOWN:
MK42106S




WELDED CLEVIS BRAKE ADJUSTERS WITH AUTO-CHECK

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)
---------------------------------------	-------------	---------------	-------------	---------------

CHAMBER TYPE: T30S, 16LS, 20LS, 24LS, T30LS, T24LLS

MK41010S	1-1/4" x 10 Spline	5.5"	1.3" Pin Spacing	7.6
MK41011S	1-1/4" x 10 Spline	6.5"	1.3" Pin Spacing	7.6
MK41016S	1-1/4" x 10 Spline	6.0"	1.3" Pin Spacing	7.6
MK42010S	1-1/2" x 28 Spline	5.5"	1.3" Pin Spacing	7.6
MK42011S	1-1/2" x 28 Spline	6.5"	1.3" Pin Spacing	7.6
MK42016S	1-1/2" x 28 Spline	6.0"	1.3" Pin Spacing	7.6
MK44010S	1-1/4" x 10 Spline	5.5"	1.3" Pin Spacing	7.6
MK45010S	1-1/4" x 24 Spline	5.5"	1.3" Pin Spacing	7.6

MODEL SHOWN:
MK42010S





CREWSON BRAKE ADJUSTER APPLICATIONS

WITH AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	WEIGHT (LBS.)
---------------------------------------	-------------	---------------	-------------	---------------

CHAMBER TYPE: T-16, 20, 24 STD.

MK31100S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK31106S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK31200S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK31300S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK31306S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Offset	7.6
MK31400S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Offset	7.6
MK31700S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Ext	7.6
MK31706S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Ext	7.6
MK32100S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std	7.6
MK32106S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std	7.6
MK32200S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Std	7.6
MK32206S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Std	7.6
MK32300S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Offset	7.6
MK32400S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Offset	7.6
MK32700S	1-1/2" x 28 Spline	5.5"	5/8" — 20 Ext	7.6
MK34100S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Std	7.6
MK34106S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Std	7.6
MK34200S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Std	7.6
MK34300S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Offset	7.6
MK35100S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Std	7.6
MK35200S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Std	7.6
MK35300S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Offset	7.6
MK34406S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Offset	7.6

MODEL SHOWN:
MK32100S





CREWSON BRAKE ADJUSTER APPLICATIONS

WITHOUT AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK21100S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Std		7.2
MK21101S	1-1/2" x 10 Spline	6.5"	5/8" — 18 Std		7.2
MK21102S	1-1/2" x 10 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK21103S	1-1/2" x 10 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK21104S	1-1/2" x 10 Spline	5.0"/6.0"/7.0"	5/8" — 18 Std		8.0
MK21106S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Std		7.2
MK21152S	1-1/2" x 10 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK21153S	1-1/2" x 10 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK21200S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Std		7.2
MK21206S	1-1/2" x 10 Spline	6.0"	1/2" — 20 Std		7.2
MK21300S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Offset		7.2
MK21306S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Offset		7.2
MK21400S	1-1/2" x 10 Spline	5.5"	1/2" — 20 Offset		7.2
MK21700S	1-1/2" x 10 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK21706S	1-1/2" x 10 Spline	6.0"	5/8" — 18 Ext	Extended Clevis	7.2

MK22100S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std		7.2
MK22101S	1-1/2" x 28 Spline	6.5"	5/8" — 18 Std		7.2
MK22102S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std	Double Drilled	7.2
MK22103S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Std	Double Drilled	7.2
MK22104S	1-1/2" x 28 Spline	5.0"/6.0"/7.0"	5/8" — 18 Std		8.0
MK22106S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Std		7.2
MK22152S	1-1/2" x 28 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK22153S	1-1/2" x 28 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK22102S	1-1/2" x 28 Spline	5.5"/6.5"	1/2" — 20 Std	Double Drilled	7.2
MK22103S	1-1/2" x 28 Spline	5.0"/6.0"	1/2" — 20 Std	Double Drilled	7.2
MK22106S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Std		7.2
MK22300S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Offset		7.2
MK22306S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Offset		7.2
MK22400S	1-1/2" x 28 Spline	5.5"	1/2" — 20 Offset		7.2
MK22406S	1-1/2" x 28 Spline	6.0"	1/2" — 20 Offset		7.2
MK22700S	1-1/2" x 28 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK22706S	1-1/2" x 28 Spline	6.0"	5/8" — 18 Ext	Extended Clevis	7.2

MK23100S	1-5/8" x 37 Spline	5.5"	5/8" — 18 Std		7.2
MK23102S	1-5/8" x 37 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK23103S	1-5/8" x 37 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK23106S	1-5/8" x 37 Spline	6.0"	5/8" — 18 Std		7.2
MK23152S	1-5/8" x 37 Spline	5.5"/6.5"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2
MK23153S	1-5/8" x 37 Spline	5.0"/6.0"	5/8" — 18 Std	12-1/4" Brake Application Bent Arm	7.2

MODEL SHOWN:
MK22103S



MODEL SHOWN:
MK22153S





CREWSON BRAKE ADJUSTER APPLICATIONS

WITHOUT AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK24010S	1-1/4" x 10 Spline	5.5"	1.3" Pin Spacing		7.2
MK24100S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Std		7.2
MK24102S	1-1/4" x 10 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK24103S	1-1/4" x 10 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK24106S	1-1/4" x 10 Spline	6.0"	5/8" — 18 Std		7.2
MK24200S	1-1/4" x 10 Spline	5.5"	1/2" — 20 Std		7.2
MK24206S	1-1/4" x 10 Spline	6.0"	1/2" — 20 Std		7.2
MK24300S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Offset		7.2
MK24406S	1-1/4" x 10 Spline	6.0"	1/2" — 20 Offset		7.2
MK24700S	1-1/4" x 10 Spline	5.5"	5/8" — 18 Ext	Extended Clevis	7.2
MK25100S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Std		7.2
MK25102S	1-1/4" x 24 Spline	5.5"/6.5"	5/8" — 18 Std	Double Drilled	7.2
MK25103S	1-1/4" x 24 Spline	5.0"/6.0"	5/8" — 18 Std	Double Drilled	7.2
MK25106S	1-1/4" x 24 Spline	6.0"	5/8" — 18 Std		7.2
MK25200S	1-1/4" x 24 Spline	5.5"	1/2" — 20 Std		7.2
MK25300S	1-1/4" x 24 Spline	5.5"	5/8" — 18 Offset		7.2
MK25406S	1-1/4" x 24 Spline	6.0"	1/2" — 20 Offset		7.2

MODEL SHOWN: MK25102S



WELDED CLEVIS BRAKE ADJUSTERS WITHOUT AUTO-CHECK®

MOTOR WHEEL CREWSON PART NUMBER	SPLINE TYPE	ARM LENGTH	CLEVIS TYPE	NOTES	WEIGHT (LBS.)
MK21010S	1-1/2" x 10 Spline	5.5"	1.3" Pin Spacing		7.2
MK21011S	1-1/2" x 10 Spline	6.5"	1.3" Pin Spacing		7.2
MK21016S	1-1/2" x 10 Spline	6.0"	1.3" Pin Spacing		7.2
MK22010S	1-1/2" x 28 Spline	5.5"	1.3" Pin Spacing		7.2
MK22011S	1-1/2" x 28 Spline	6.5"	1.3" Pin Spacing		7.2
MK22016S	1-1/2" x 28 Spline	6.0"	1.3" Pin Spacing		7.2

MODEL SHOWN: 1.3" MK21010S



Actual product performance may vary depending upon vehicle configuration, operation, service and other factors. All applications must comply with applicable specifications from Motor Wheel and the respective vehicle manufacturer. Contact Motor Wheel for additional details regarding specifications, applications, capacities, and operation, service and maintenance instructions.



Contact Motor Wheel at **855.743.3733** for additional information.



MOTOR WHEEL
2660 Sydney St.
Chattanooga, TN 37408 USA
855.743.3733

www.motorwheel-intl.com

MW010 Rev C 10-22 Motor Wheel is a brand of Hendrickson

© 2022 Motor Wheel, LLC. All Rights Reserved. All trademarks shown are owned by Motor Wheel, LLC, or one of its affiliates, in one or more countries except for Bendix, Meritor, Euclid, Gunita, Haldex, and Midland, which are the property of their respective owners. Information contained in this literature was accurate at the time of publication. Product changes may have been made after the copyright date that are not reflected.

Printed in United States of America